1918B1-2 (BL4080F)

40V Max 8.0Ah Battery



Product Statement

40V Max 8.0Ah Battery

The BL4080F is designed to deliver maximum power output, enabling Makita XGT tools to tackle the most heavy-duty applications. Advanced digital communication between the battery and tool continuously optimises performance and efficiency, ensuring sustained power under load. Built with an impact resistant casing, moisture protection and an advanced ventilation system, it is designed to provide long lasting reliability in harsh jobsite conditions.



Product Overview

1918B1-2 (BL4080F)

3-layer moisture protection shields cells from water ingress

Digital communication between the tool & battery for optimised performance



Heavy duty cell casing significantly improves the batteries impact resistance

Short circuit prevention structure protects terminals from dust and moisture

Battery ventilation system maximises battery life

STAR PROTECTION COMPUTER CONTROLS™

Product Specifications

1918B1-2 (BL4080F)

Capacity	8.0Ah
Energy capacity	288Wh
Charge time	76mins (Rapid Charger)
Overall length	152mm
Weight	1.9kg
Voltage	40V Max

- Digital communication between the tool & battery for optimised performance
- Heavy duty cell casing significantly improves the batteries impact resistance
- Battery ventilation system maximises battery life
- Short circuit prevention structure protects terminals from dust and moisture
- 3-layer moisture protection shields cells from water ingress



Advantages

RUNTIME

UP TO 2X LONGER RUNTIME

DURABILITY

DESIGNED TO WITHSTAND DROPS AND BUMPS

SMART

DIGITAL COMMUNICATION BETWEEN TOOL & BATTERY FOR OPTIMISED PERFORMANCE

