

Makita[®]

Direct Connection Brushless Backpack Blower

DIRECT CONNECTION

A technical diagram showing the direct connection interface between the blower and the battery pack. It features a central connector with a play button symbol in the middle, flanked by two sets of pins or contacts.

UB004C



Direct Connection Brushless Backpack Blower

The UB004C provides the ability to tackle the largest jobs. Powered by the PDC1500 or PDC1200, the UB004C provides long runtimes up to 200 minutes when the blowing force is set to 10N and up to 55 minutes when the blowing at maximum force.

It features a brushless motor which operates at a no load speed of up to 23,800rpm. This delivers a market leading max air volume of 19.7m³/min with a max air speed of 290km/h. The functional joystick allows the user to comfortably maneuver the nozzle and features a simple On/Off switch, battery fuel indicator, cruise control lever and variable speed trigger.

The UB004C overall backpacking experience has also been improved through the redesign of the harness, with mesh fabric to improve breathability and the restructure of the shoulder belt to reduce stress on user's shoulders

The UB004C provides equivalent performance to petrol backpack blowers without the need for mixing and storing petrol, pull starting engines or dealing with harmful noise and fumes.



Product Overview

DIRECT CONNECTION 

Powered by PDC1500 & PDC1200
Portable Power Supply Unit*

Improved backpack harness
for ergonomic benefit

Brushless Motor
delivers up to
23,800rpm

3 Speed mode button
& Cruise control

Battery fuel gauge

Adjustable grip

Max air speed of
290km/h

Rotatable & flexible tube
for optimum control



*PDC1500 & PDC1200 not included

Product Specification Sheet



No load speed	0-23,800rpm
Max. air volume	0-20.9m ³ /min
Max. air speed	290km/h
Overall length	460mm
Skin weight	7.4kg
Weight (with Battery)	18.6kg (PDC1500)
Voltage	Direct Connection

- **Powered by Makita's Portable Power Supply Unit** – direct connection from PDC1200 & PDC1500 to provide extended runtimes to get through the largest jobs.
- **Brushless Motor** – provides up to 23,800rpm to deliver performance equivalent to petrol backpack blowers.
- **Long Runtime** – Up to 60 minutes of runtime using PDC1500 when blowing force is adjusted to 23N.
- **Comfortable Backpack Harness** – redesigned harness for improved ventilation channels and reduce stress on end users back
- **Control Joystick** – features On/Off switch, battery fuel indicator, cruise control lever and variable speed trigger.
- **Adjustable Nozzle** – forward/backward adjustment of 180mm to suit end users size/work posture
- **Optional Nozzles** – allow the user to change the velocity or shape of the airflow to suit the task.

Advantages



POWER

Brushless Motor provides massive air velocity of 290km/h



DESIGN

Adjustable length nozzle to suit different sizes and work preferences



PERFORMANCE

Continuous run time of 200 minutes on full battery

Ergonomics

Engineered with **enhanced ergonomics** to improve user comfort and operational efficiency. Enabling effective and precise cleaning while reducing fatigue during extended use.

Improved backpack experience

- Mesh fabric for improved breathability
- Shoulder belt designed to reduce stress on shoulders



Variable speed control & cruise control lever

- Trigger can be fixed at a desired position by users
- Boost mode can be activated by pulling the trigger completely



Position-adjustable Grip

- Grip position can be adjusted forward/backwards and left/right to suit user's size or work posture




Our Range

DIRECT CONNECTION

	NEW- UB004C	DISCONTINUED - UB002C	UB001C	UB001G	DUB362
No load speed	0-23,800rpm	0-22,000rpm	0-21,000rpm 24,000rpm – Turbo	0-20,000rpm 23,000rpm - Turbo	0-21,500rpm
Max. air volume	0-20.9m ³ /min	0-19m ³ /min	0 - 15m ³ /min 17.6m ³ /min – Turbo	0-13.8m ³ /min 16m ³ /min – Turbo	13.4m ³ /min
Max. air speed	290km/h	258km/h	252km/h	190km/h 230km/h – Turbo	194km/h
Overall length	460mm	715mm	1,060mm	1,043mm	930mm
Skin weight	7.4kg	5.6kg	2.6kg	2.6kg	2.8kg
Weight (with Battery)	8.4kg	16kg	N/A	3.6kg	3.4kg
Voltage	Direct Connection	Direct Connection	Direct Connection	40V Max	18Vx2 (36V)

Standard Accessories		
	1914H0-2	End Flat Nozzle 74 set
	1914H1-0	Flat Nozzle set
	162D24-9	Pipe support belt complete
	162D25-7	Pipe belt complete

Optional Accessories		
		Portable Power Pack PDC1500

Click through to view related product categories

BRUSHCUTTER



BLOWER



LAWNMOWER



POWER SUPPLY

